

NEW PORT Tool Rail

Overview:

NEW PORT is a flexible, versatile tool rail system that creates clean, personal "up and off the desk" organization which can be configured in a number of different ways, as follows:

- The NEW PORT tool rail is available in varying lengths to accommodate different desk sizes.
- The NEW PORT tool rail can include no privacy screen or a 15-3/8" high privacy screen made of acoustic fabric, melamine, writeable glass or opaque tempered glass.
- The NEW PORT tool rail can be mounted to the desk at multiple heights, and in multiple ways.
- The NEW PORT tool rail can be used in single-sided or double-sided desk environments.
- The NEW PORT tool rail can accommodate a wide range of NEW WAVE desk accessories.



NEW PORT shown with no privacy screen and NEW WAVE accessories



NEW PORT shown with privacy screen and and NEW WAVE accessories

HOW TO ORDER NEW PORT

- 1. First, configure your New Port tool rail system by referring to the Tool Rail & Screen Specification Table below [Table I].
 - a. Select a tool rail length and finish color [Column A].
 - b. If specifying a tool rail <u>without</u> a screen, select a cover color and identify the appropriate model number based on tool rail length [Column B].
 - c. If specifying a tool rail <u>with</u> a screen, choose your desired screen material Melamine (and corresponding finish color), Acoustic Fabric (and corresponding finish color), Opaque Tempered Glass or Writeable Glass; and identify the appropriate model number based on tool rail length [Column C].
- 2. Next, select a mounting setup from the Mounting Specification Table below [Table II].
 - a. Select a mounting height [above the desk] for the tool rail [Column A].
 - b. Next, select the appropriate mounting hardware for the desk and identify the appropriate model number based on mounting level [Column B].
- 3. Finally, select your New Wave accessories which hang off of the New Port tool rail.

Table I — TOOL RAIL & SCREEN SPECIFICATION TABLE





Tool Rail (Including End Caps)	Tool Rail Without Screen	Screen 1001 Kall With Screen				
	(Including Cover)	Melamine Screen	Acoustic Fabric Screen		Writeable Glass Screen [for use with dry erase markers]	
Tool Rail available in White, Sand, Silver or Black	Tool Rail Cover available in White, Blue or Red	Melamine Screens available in White, Sand, Clay, Grey, Tweed, Plum or Aniseed Green	Acoustic Fabric Screens available in Iroise Blue, Lime Green, Golden Yellow, Garnet, Carmine, Clementine, Steel Grey or Pebble Stone	Opaque Tempered Glass Screen		
Tool Rail Length	Model	Model	Model	Model	Model	
21"	NP-53EP	NP-53CM	NP-53CTA	NP-53CVO	NP-53CVT	
31 1/2"	NP-80EP	NP-80CM	NP-80CTA	NP-80CVO	NP-80CVT	
39 3/8"	NP-100EP	NP-100CM	NP-100CTA	NP-100CVO	NP-100CVT	
47 1/4"	NP-120EP	NP-120CM	NP-120CTA	NP-120CVO	NP-120CVT	
55 1/8"	NP-140EP	NP-140CM	NP-140CTA	NP-140CVO	NP-140CVT	
63"	NP-160EP	NP-160CM	NP-160CTA	NP-160CVO	NP-160CVT	

^{*}Custom tool rail lengths available, contact Customer Service for details.





Table II – MOUNTING SPECIFICATION TABLE







A. Mounting Height	B. Mounting Type & Hardware						
	Single Sided Desk*	Double Sided Desk	Thru Desk**				
Mounting Height	Model	Model	Model				
Desktop Level	NP-00P	NP-00M	NP-00F				
3 15/16" Above Desk	NP-10P	NP-10M	NP-10F				
7 7/8" Above Desk	NP-20P	NP-20M	NP-20F				

^{*}The minimum desk surface depth for mounting on a single sided desk edge is 1 5/8".

Table III - OVERALL DIMENSIONS

Please note, the overall dimensions shown here include the tool rail, screen (if applicable) and mounting hardware.

	Overall Dimensions - <u>No</u> Screen (Model NP-EP)											
		Desktop	Level Mount	t	3 15/16" Above Desk Mount				7 7/8" Above Desk Mount			
Toolbar Length	Н	w	D	Shipping Weight	н	w	D	Shipping Weight	н	w	D	Shipping Weight
21"	2 3/8"	21"	1 11/16"	5 lbs.	6 5/16"	21"	1 11/16"	7 lbs.	10 1/4"	21"	1 11/16"	8 lbs.
31 1/2"	2 3/8"	31 1/2"	1 11/16"	7 lbs.	6 5/16"	31 1/2"	1 11/16"	9 lbs.	10 1/4"	31 1/2"	1 11/16"	10 lbs.
39 3/8"	2 3/8"	39 3/8"	1 11/16"	7 lbs.	6 5/16"	39 3/8"	1 11/16"	9 lbs.	10 1/4"	39 3/8"	1 11/16"	10 lbs.
47 1/4"	2 3/8"	47 1/4"	1 11/16"	8 lbs.	6 5/16"	47 1/4"	1 11/16"	10 lbs.	10 1/4"	47 1/4"	1 11/16"	11 lbs.
55 1/8"	2 3/8"	55 1/8"	1 11/16"	9 lbs.	6 5/16"	55 1/8"	1 11/16"	11 lbs.	10 1/4"	55 1/8"	1 11/16"	12 lbs.
63"	2 3/8"	63"	1 11/16"	10 lbs.	6 5/16"	63"	1 11/16"	12 lbs.	10 1/4"	63"	1 11/16"	13 lbs.

	Overall Dimensions — <u>With</u> Screen (Models NP-CM, CTA, CVO, CVT)												
		Desktop	Level Mount	t	3 15	3 15/16" Above Desk Mount				7 7/8" Above Desk Mount			
Toolbar Length	н	w	D	Shipping Weight	н	w	D	Shipping Weight	н	w	D	Shipping Weight	
21"	17 3/4"	21"	1 11/16"	21 lbs.	21 11/16"	21"	1 11/16"	23 lbs.	25 5/8"	21"	1 11/16"	24 lbs.	
31 1/2"	17 3/4"	31 1/2"	1 11/16"	23 lbs.	21 11/16"	31 1/2"	1 11/16"	25 lbs.	25 5/8"	31 1/2"	1 11/16"	26 lbs.	
39 3/8"	17 3/4"	39 3/8"	1 11/16"	25 lbs.	21 11/16"	39 3/8"	1 11/16"	27 lbs.	25 5/8"	39 3/8"	1 11/16"	28 lbs.	
47 1/4"	17 3/4"	47 1/4"	1 11/16"	28 lbs.	21 11/16"	47 1/4"	1 11/16"	30 lbs.	25 5/8"	47 1/4"	1 11/16"	31 lbs.	
55 1/8"	17 3/4"	55 1/8"	1 11/16"	31 lbs.	21 11/16"	55 1/8"	1 11/16"	33 lbs.	25 5/8"	55 1/8"	1 11/16"	34 lbs.	
63"	17 3/4"	63"	1 11/16"	35 lbs.	21 11/16"	63"	1 11/16"	37 lbs.	25 5/8"	63"	1 11/16"	38 lbs.	

^{**}The minimum hole size for mounting through the desk is 13/32".

NEW PORT FINISH COLORS

Tool Rail Finish Colors



NEW WAVE Product Overview – The following NEW WAVE accessories can be used with NEW PORT:

